



COMMERCIAL CATALOG





ROMAN PERGOSTAR

This is a flat pergola constructed entirely of aluminum profiles. All of its components are assembled using a sophisticated connection system with stainless steel parts, high-strength nylon, and specially designed aluminum profiles to ensure no visible screws or cables. This pergola is designed to operate without any slope in its structure.


ROMAN WAVY

This is a straight, retractable canvas pergola with no slope in its structure. The canvas is fixed to a system of aluminum profiles called "sticks." These slide along parallel, straight guides for opening, using specially designed carriages that roll on an internal rail driven by a dual-transmission, torque-driven electric motor developed specifically for Toscana Global and this product. To allow drainage of the pergola, the canvas is taut on one side and corrugated on the other. It can also be installed in a prismatic or gabled configuration.




Single-sided canvas (canvas that is wavy on one side and loose on the other)

- A) Wave module
- B) Curved Trapezoidal Construction (Right or left lateral water discharge)
- C) Side view of the engine




Double-sided canvas (canvas wavy in the center and loose at the ends)

- A) Double corrugated module
- B) Bow tie construction (Right and left side water discharge)
- C) Side view of the engine



Prismatic canvas (canvas corrugated at one end and loose at the other, interleaved)

- A)** Wavy prismatic module
- B)** Trapezoidal Construction (Intercalated lateral water discharge)
- C)** Side view of the engine



WITH POSTS



BETWEEN WALLS



WITH TENSIONERS



Gazebo




ROMAN TENSE

This is a straight, retractable canvas pergola with no sloping structure. The canvas is attached to a system of aluminum profiles called "palillas" (sticks), which move along parallel straight guides for opening. This is achieved thanks to specially designed carriages that roll on an internal rail driven by a dual-transmission, torque-adjustable electric motor developed specifically for Toscana Global. For this product, the canvas is fully tensioned.

CANVAS CONFIGURATION


Single-sided canvas (canvas taut on one side and loose on the other)

- A) Tense modules
- B) Thickness
- C) Water discharge
- D) Vista lateral del motor




Lona a un dos aguas (lona tensa en el centro y holgada en los extremos)

- A) Módulo doble tenso
- B) Descarga de agua
- C) Vista lateral del motor



Lona prismática (lona tenso en un extremo y en el otro holgado, intercaladas)

- A)** Módulo prismático tenso
- B)** Descarga de agua
- C)** Vista lateral del motor



CON POSTES



ROMANO ARQUEADO


Es una pérgola retráctil sin pendiente en su estructura lo significa que no necesita mucha altura para su instalación a comparación de pérgolas que tienen pendiente, el exclusivo diseño de su cubierta arqueada es la que genera el sentido del desagüe hacia todas las zonas externas de la pérgola y genera un diseño tipo túnel en la parte inferior lo que la hace mucho más resistente al viento.



CONFIGURACIÓN DE LA LONA


Lona a un agua (lona arqueada de un lado y holgada del otro)

- A)** Módulos arqueados
- B)** Espesor
- C)** Descarga de agua
- D)** Vista lateral del motor



ROMANO ESTRUCTURAL

Este es un accesorio extra del Pergostar Romano, consta de una estructura de soporte diseñada para la versatilidad en la instalación de los modelos, esta estructura permite que la pérgola sea instalada con una orientación de 90°, respecto a su posición normal. Esto con el fin de evitar que el desagüe de la pérgola afecte la fachada.



Tipos de instalación

- A) Con postes.
- B) Entre muros.
- C) Gazebo.
- D) Con tensores.
- E) Modelo romano estructural.
- F) Vista en planta: instalación en sistema estructural.
- D) Vista lateral del motor.




TOSCANA DYNAMIC



Todas nuestras pérgolas están equipadas de forma estándar con nuestra poderosa central inteligente «Toscana Dynamic». Este dispositivo exclusivo, desarrollado por nuestro departamento de ingeniería, permitirá al usuario vivir una experiencia única maravillosa con su pérgola. A continuación podrán apreciar todos los alcances del «Toscana Dynamic.»

CONTROL POR PULSADOR



CONTROL REMOTO



ASISTENTES GOOGLE HOME Y ALEXA



WEB (QR)




ILUMINACIÓN



ESCENARIOS



MOTORIZACIÓN



VIDEO

